






REV	DESCRIPTION OF CHANGE	REVIEWED BY	ISSUE DATE
A	FIRST ISSUE	LEO	2022-12-09

NOTES:

- 1.MATERIAL:
01 SFP TOP CAGE : COPPER ALLOY
02 SFP BOTTOM CAGE : COPPER ALLOY
2. FINISH
SFP TOP CAGE : NI-PLATED OVER ALL
SFP BOTTOM CAGE : NI-PLATED OVER ALL
3. TEMPERATURE:
OPERATION : -40°C TO +85°C
STORAGE : -55°C TO +105°C
4.PACKAGING: TAPE & REEL



TITLE SFP 1X1 CAGE WITH EMI SPRING FINHER			LINK-PP INT'L TECHNOLOGY CO., LIMITED			
PART NO. LP11ACS2000S			GENNERAL TOLERANCE		UNIT:MM	SIZE:A4
APPROVE LEO	CHECK JAMES	DRAW JAMES	。 X±0.20	。 X±1°	SCALE:1:1	SHEET:1/4
			。 XX±0.15	。 XX±5°		
			。 XXX±0.10			




SECTION A-A


RECOMMENDED BEZEL DESIGN

NOTES:
△ MINIMUM PITCH ILLUSTRATED, ENGLISH
DIMENSIONS ARE FOR REFERENCE ONLY



TITLE SFP 1X1 CAGE WITH EMI SPRING FINHER			LINK-PP INT'L TECHNOLOGY CO., LIMITED				
PART NO. LP11ACS2000S			GENNERAL TOLERANCE			UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	◦ X±0.20	◦ X±1°	SCALE:1:1	SHEET:3/4	REV:A
LEO	JAMES	JAMES	◦ XX±0.15	◦ XX±5°			
			◦ XXX±0.10				

PACKAGE INFORMATION AND LABEL



PACKING QUANTITY : 150 PCS FINISHED GOODS PER REEL.
5 REEL (750 PCS FINISHED GOODS) PER CARTON BOX.



TITLE SFP 1X1 CAGE WITH EMI SPRING FINHER			LINK-PP INT'L TECHNOLOGY CO., LIMITED			
PART NO. LP11ACS2000S			GENNERAL TOLERANCE		UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	• X±0.20	• X±1°	SCALE:1:1	SHEET:4/4
LEO	JAMES	JAMES	• XX±0.15	• XX±5°		
			• XXX±0.10			