





REV.	DESCRIPTION OF CHANGE	REVIEWED BY	ISSUE DATE
B	STAINLESS STEEL	JULY	2024-02-25

- NOTES:
- 1.MATERIAL: STAINLESS STEEL, THICKNESS 0.25mm
 - 2.PACKAGING: TRAY PACKAGING
 - 3.TEMPERATURE RANGE: -55°C TO +85°C



TITLE SFP+ 1X1 CAGE WITH GROUNDING PIN EMI SPRING FINGER			LINK-PP INT'L TECHNOLOGY CO., LIMITED			
PART NO. LP11BC02000			GENNERAL TOLERANCE		UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	.X±0.25	.X±1°	SCALE:1:1	SHEET:1/4
JULY	Kevin	Kevin	.XX±0.15	.XX±5°		
			.XXX±0.10			
						REV:B




NOTES:


1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
2. PADS AND VIAS ARE CHASSIS GROUND, 11 PLACES
3. THRU HOLES, PLATING OPTIONAL




TITLE			LINK-PP INT'L TECHNOLOGY CO., LIMITED				
SFP+ 1X1 CAGE WITH GROUNDING PIN EMI SPRING FINGER							
PART NO.			GENNERAL TOLERANCE			UNIT:MM	SIZE:A4
LP11BC02000							
APPROVE	CHECK	DRAW	.X±0.25	.X±1°	SCALE:1:1	SHEET:2/4	REV:B
JULY	Kevin	Kevin	.XX±0.15	.XX±5°			
			.XXX±0.10				




PACKAGE INFORMATION AND LABLE



1. 48 PCS PRODUCTS IN TRAYS




2. TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND PUT IT ON PREVIOUS TRAY.)




3. LABEL & PACKAGING TAPES FOR TRAYS:

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	960 PCS
TRAY COVER	2 PCS
TRAY BASE	20 PCS
BOX(L514*W353*H213MM)	1 PCS
LABLE	3 PCS
PACKAGING TAPES	8 M (ABOUT)
PAPER	20 PCS



4. LABEL & PACKAGING TAPES FOR BOX



TITLE SFP+ 1X1 CAGE WITH GROUNDING PIN EMI SPRING FINGER			LINK-PP INT'L TECHNOLOGY CO., LIMITED			
PART NO. LP11BC02000			GENNERAL TOLERANCE		UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	.X±0.25	.X±1°	SCALE:1:1	SHEET:4/4
JULY	Kevin	Kevin	.XX±0.15	.XX±5°		
			.XXX±0.10			
					REV:B	