






REV	DESCRIPTION OF CHANGE	REVIEWED BY	ISSUE DATE
A	FIRST ISSUE	LEO	2021-10-09




NOTES:
1.MATERIAL: COPPER ALLOY, THICKNESS 0.25mm, NI-PLATED
2.PACKAGING: TRAY PACKAGING
3.TEMPERATURE RANGE: -55°C TO +85°C



TITLE			LINK-PP INT'L TECHNOLOGY CO., LIMITED					
PART NO.			GENNERAL TOLERANCE			UNIT:MM	SIZE:A4	
LP11BCS2000			。 X±0.20	。 X±1°		SCALE:1:1	SHEET:1/4	REV:A
APPROVE	CHECK	DRAW	。 XX±0.15	。 XX±5°				
LEO	JAMES	JAMES	。 XXX±0.10					



TITLE			LINK-PP INT'L TECHNOLOGY CO., LIMITED							
SFP+ 1X1 CAGE WITH GROUNDING PIN EMI SPRING FINGER										
PART NO.			GENNERAL TOLERANCE				UNIT:MM		SIZE:A4	
LP11BCS2000										
APPROVE	CHECK	DRAW	。 X±0.20	。 X±1°	SCALE:1:1		SHEET:2/4		REV:A	
			。 XX±0.15	。 XX±5°						
LEO	JAMES	JAMES	。 XXX±0.10							




RECOMMENDED BEZEL DESIGN

NOTES:
① MINIMUM PITCH ILLUSTRATED, ENGLISH
DIMENSIONS ARE FOR REFERENCE ONLY




TITLE SFP+ 1X1 CAGE WITH GROUNDING PIN EMI SPRING FINGER			LINK-PP INT'L TECHNOLOGY CO., LIMITED				
PART NO. LP11BCS2000			GENNERAL TOLERANCE			UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	。 X±0.20	。 X±1°		SCALE:1:1	REV:A
LEO	JAMES	JAMES	。 XX±0.15	。 XX±5°			
			。 XXX±0.10			SHEET:3/4	


PACKAGE INFORMATION AND LABLE



1. PRODUCTS IN TRAYS




2. TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND
PUT IT ON PREVIOUS TRAY.)




3. LABEL & PACKAGING TAPES FOR TRAYS:

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	352 PCS
TRAY	8 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)



4. LABEL & PACKAGING TAPES FOR BOX



TITLE SFP+ 1X1 CAGE WITH GROUNDING PIN EMI SPRING FINGER			LINK-PP INT'L TECHNOLOGY CO., LIMITED				
PART NO. LP11BCS2000			GENNERAL TOLERANCE			UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	。 X±0.20	。 X±1°	SCALE:1:1	SHEET:4/4	REV:A
LEO	JAMES	JAMES	。 XX±0.15	。 XX±5°			
			。 XXX±0.10				