

NOTES:




1.MATERIAL:

CAGE: COPPER ALLOY, Ni PLATED
THICKNESS 0.25mm


LIGHT PIPE: CLEAR POLYCARBONATE

2.PACKAGING: TRAY PACKAGING



3.TEMPERATURE RANGE: -55°C TO +85°C



TITLE			LINK-PP INT'L TECHNOLOGY CO., LIMITED				
SFP+ 1X1 CAGE, WITH LIGHT PIPE							
PART NO. LP11BCS2101			GENERAL TOLERANCE			UNIT:MM	SIZE: A4
APPROVE	CHECK	DRAW	.X±0.20	.X±1°	SCALE: 1:1	SHEET:1/3	REV:A
James	Kevin	Kevin	.XX±0.15	.XX±5°			
			.XXX±0.10				




TITLE SFP+ 1X1 CAGE, WITH LIGHT PIPE			LINK-PP INT'L TECHNOLOGY CO., LIMITED			
PART NO. LP11BCS2101			GENERAL TOLERANCE		UNIT:MM	SIZE: A4
APPROVE	CHECK	DRAW	.X±0.20	.X±1°	SCALE: 1:1	SHEET:2/3
James	Kevin	Kevin	.XX±0.15	.XX±5°		
			.XXX±0.10			



RECOMMENDED BEZEL DESIGN

NOTES:
 ⚠ MINIMUM PITCH ILLUSTRATED, ENGLISH DIMENSIONS ARE FOR REFERENCE ONLY



RECOMMENDED PCB CONFIGURATION



TITLE SFP+ 1X1 CAGE, WITH LIGHT PIPE			LINK-PP INT'L TECHNOLOGY CO., LIMITED			
PART NO. LP11BCS2101			GENERAL TOLERANCE		UNIT:MM	SIZE: A4
APPROVE	CHECK	DRAW	.X±0.20	.X±1°	SCALE: 1:1	SHEET:3/3
James	Kevin	Kevin	.XX±0.15	.XX±5°		
			.XXX±0.10			