
REV	DESCRIPTION OF CHANGE	REVIEWED BY	ISSUE DATE
A	FIRST ISSUE	LEO	2022-09-02




NOTES:


1.MATERIAL:
CAGE: COPPER ALLOY, THICKNESS 0.25mm
LIGHT PIPE: CLEAR POLYCARBONATE
2.PACKAGING: TRAY PACKAGING
3.TEMPERATURE RANGE:
OPERATING : −40°C TO +85°C
NON OPERATING : −55°C TO +105°C


RoHS 2011/65/EU

TITLE	SFP+ 1X1 CAGE WITH EMI SPRING FINGER LIGHT PIPE	LINK-PP INT'L TECHNOLOGY CO., LIMITED
PART NO.	LP11BCS2300	GENNERAL TOLERANCE
APPROVE	CHECK	DRAW
LEO	JAMES	JAMES

◦ X±0.20	◦ X±1°	SCALE:1:1	UNIT:MM
◦ XX±0.15	◦ XX±5°	SHEET:1/4	SIZE:A4
◦ XXX±0.10			REV:A







RECOMMENDED PCB CONFIGURATION

NOTES:


1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
2. PADS AND VIAS ARE CHASSIS GROUND, 11 PLACES
3. THRU HOLES, PLATING OPTIONAL


RoHS 2011/65/EU

TITLE	SFP+ 1X1 CAGE WITH EMI SPRING FINGER LIGHT PIPE	LINK-PP INT'L TECHNOLOGY CO., LIMITED
PART NO.	LP11BCS2300	GENNERAL TOLERANCE
APPROVE	CHECK	DRAW
LEO	JAMES	JAMES

◦ X±0.20	◦ X±1°
◦ XX±0.15	◦ XX±5°
◦ XXX±0.10	

UNIT:MM	SIZE:A4	SCALE:1:1	SHEET:2/4	REV:A






RECOMMENDED BEZEL DESIGN


RoHS 2011/65/EU

TITLE: SFP+ 1X1 CAGE WITH EMI SPRING FINGER LIGHT PIPE			LINK-PP INT'L TECHNOLOGY CO., LIMITED			
PART NO.: LP11BCS2300			GENNERAL TOLERANCE		UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	◦ X±0.20	◦ X±1°	SCALE:1:1	SHEET:3/4	REV:A
LEO	JAMES	JAMES	◦ XX±0.15	◦ XX±5°			
			◦ XXX±0.10			


PACKAGE INFORMATION AND LABLE




1.33 PCS PRODUCTS IN TRAYS



2. TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND PUT IT ON PREVIOUS TRAY.)



3. LABEL & PACKAGING TAPES FOR TRAYS:



4. LABEL & PACKAGING TAPES FOR BOX

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	264 PCS
TRAY	8 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)

RoHS 2011/65/EU

TITLE: SFP+ 1X1 CAGE WITH EMI SPRING FINGER LIGHT PIPE			LINK-PP INT'L TECHNOLOGY CO., LIMITED			
PART NO.: LP11BCS2300			GENNERAL TOLERANCE		UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	◦ X±0.20	◦ X±1°	SCALE:1:1	SHEET:4/4	REV:A
LEO	JAMES	JAMES	◦ XX±0.15	◦ XX±5°			
			◦ XXX±0.10				