


REV	DESCRIPTION OF CHANGE	REVIEWED BY	ISSUE DATE
A	FIRST ISSUE	LEO	2021-09-02








NOTES:
1.MATERIAL:
CAGE: COPPER ALLOY, Ni PLATED
THICKNESS 0.25mm
LIGHT PIPE: CLEAR POLYCARBONATE
2.PACKAGING: TRAY PACKAGING
3.TEMPERATURE RANGE: −55°C TO +85°C

RoHS 2011/65/EU

TITLE: SFP28 1X1 CAGE WITH EMI SPRING FINGER LIGHT PIPE	LINK-PP INT'L TECHNOLOGY CO., LIMITED	
PART NO.: LP11CC02400	GENNERAL TOLERANCE	UNIT:MM / SIZE:A4
APPROVE: LEO / CHECK: JAMES / DRAW: JAMES	◦ X±0.20, ◦ X±1°; ◦ XX±0.15, ◦ XX±5°; ◦ XXX±0.10	SCALE:1:1 / SHEET:1/3 / REV:A




ECOMMENDED PCB CONFIGURATION


NOTES:

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
2. PADS AND VIAS ARE CHASSIS GROUND, 11 PLACES
3. THRU HOLES, PLATING OPTIONAL

RoHS 2011/65/EU

TITLE: SFP28 1X1 CAGE WITH EMI SPRING FINGER LIGHT PIPE			LINK-PP INT'L TECHNOLOGY CO., LIMITED			
PART NO.: LP11CC02400			GENNERAL TOLERANCE		UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	◦ X±0.20	◦ X±1°	SCALE:1:1	SHEET:2/3 REV:A
LEO	JAMES	JAMES	◦ XX±0.15	◦ XX±5°		
			◦ XXX±0.10			






RECOMMENDED BEZEL DESIGN

NOTES:

⚠1 MINIMUM PITCH ILLUSTRATED, ENGLISH DIMENSIONS ARE FOR REFERENCE ONLY



ECOMMENDED PCB CONFIGURATION

RoHS 2011/65/EU

TITLE: SFP28 1X1 CAGE WITH EMI SPRING FINGER LIGHT PIPE			LINK-PP INT'L TECHNOLOGY CO., LIMITED			
PART NO.: LP11CC02400			GENNERAL TOLERANCE		UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	◦ X±0.20	◦ X±1°	SCALE:1:1	SHEET:3/3	REV:A
LEO	JAMES	JAMES	◦ XX±0.15	◦ XX±5°			
			◦ XXX±0.10				