







RECOMMENDED BEZEL DESIGN





BELLY TO BELLY APPLICATIONS

NOTES:


① LOCATION OF EDGE OF PCB IS APPLICATION SPECIFIC



TITLE			QSFP28 1X1 CAGE WITH EMI SPRING FINHER HEAT SINK			LINK-PP INT'L TECHNOLOGY CO., LIMITED				
PART NO.			LP11FC01030			GENNERAL TOLERANCE			UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	。 X±0.20	。 X±1°	SCALE:1:1	SHEET:2/3	REV:A			
LEO	JAMES	JAMES	。 XX±0.15	。 XX±5°						
			。 XXX±0.10							



RECOMMENDED SINGLE SIDE PC BOARD LAYOUT



FINISHED HOLE SIZE SPECS



TITLE			QSP28 1X1 CAGE WITH EMI SPRING FINHER HEAT SINK			LINK-PP INT'L TECHNOLOGY CO., LIMITED				
PART NO.			LP11FC01030			GENNERAL TOLERANCE			UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	。 X±0.20	。 X±1°	SCALE:1:1	SHEET:3/3	REV:A			
LEO	JAMES	JAMES	。 XX±0.15	。 XX±5°						
			。 XXX±0.10							