









TITLE OSFP 1X1 CAGE WITH EMI SPRING FINGER & HEAT SINK			LINK-PP INT'L TECHNOLOGY CO., LIMITED				
PART NO. LP11SC010U0SM			GENNERAL TOLERANCE			UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	.X±0.25	.X±1°	SCALE:1:1	SHEET:2/6	REV:A
			.XX±0.15	.XX±5°			
JULY	Kevin	Kevin	.XXX±0.10				




RECOMMENDED BEZEL DESIGN
(BELLY TO BELLY CAGE MOUNTING)


SECTION C-C



TITLE OSFP 1X1 CAGE WITH EMI SPRING FINGER & HEAT SINK			LINK-PP INT'L TECHNOLOGY CO., LIMITED				
PART NO. LP11SC010U0SM			GENNERAL TOLERANCE			UNIT:MM	SIZE:A4
APPROVE JULY	CHECK Kevin	DRAW Kevin	.X±0.25	.X±1°	SCALE:1:1	SHEET:3/6	REV:A
			.XX±0.15	.XX±5°			
			.XXX±0.10				



TITLE OSFP 1X1 CAGE WITH EMI SPRING FINGER & HEAT SINK			LINK-PP INT'L TECHNOLOGY CO., LIMITED				
PART NO. LP11SC010U0SM			GENNERAL TOLERANCE			UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	.X±0.25	.X±1°	SCALE:1:1	SHEET:5/6	REV:A
JULY	Kevin	Kevin	.XX±0.15	.XX±5°			
			.XXX±0.10				



TITLE OSFP 1X1 CAGE WITH EMI SPRING FINGER & HEAT SINK			LINK-PP INT'L TECHNOLOGY CO., LIMITED				
PART NO. LP11SC010U0SM			GENNERAL TOLERANCE			UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	.X±0.25	.X±1°	SCALE:1:1	SHEET:6/6	REV:A
JULY	Kevin	Kevin	.XX±0.15	.XX±5°			
			.XXX±0.10				