






NOTES:
1.MATERIAL:
CAGE: COPPER ALLOY, THICKNESS 0.25mm
HEAT SINK : ALUMINUM(SURFACE TREATMENT:BLACK OXIDE)
CLIP: STAINLESS STEEL
LIGHT PIPE: POLYCARBONATE COLOR CLEAR
2.PACKAGING: TRAY PACKAGING
3.TEMPERATURE RANGE: -55°C TO +85°C

REV.	DESCRIPTION OF CHANGE	REVIEWED BY	ISSUE DATE
B	FIRST ISSUE	JULY	2024-04-25

TITLE SFP+ 1X2 CAGE WITH EMI SPRING FINGER & WITH LIGHT PIPE & WITH HEAT SINK			LINK-PP INT'L TECHNOLOGY CO., LIMITED			
PART NO. LP12BC01680D			GENNERAL TOLERANCE		UNIT:MM	SIZE:A4
APPROVE JULY	CHECK Kevin	DRAW Kevin	.X±0.25	.X±1°	SCALE:1:1	SHEET:1/4
			.XX±0.15	.XX±5°		
			.XXX±0.10			



TITLE SFP+ 1X2 CAGE WITH EMI SPRING FINGER & WITH LIGHT PIPE & WITH HEAT SINK			LINK-PP INT'L TECHNOLOGY CO., LIMITED				
PART NO. LP12BC01680D			GENNERAL TOLERANCE			UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	.X±0.25	.X±1°	SCALE:1:1	SHEET:2/4	REV:B
			.XX±0.15	.XX±5°			
JULY	Kevin	Kevin	.XXX±0.10				

H



E

C



A

H

G

FEDCBA

2

3


4

5

6


7

8



RECOMMENDED BEZEL DESIGN
SINGLE SIDED APPLICATIONS

RECOMMENDED BEZEL DESIGN
BELLY TO BELLY APPLICATIONS



TITLE SFP+ 1X2 CAGE WITH EMI SPRING FINGER & WITH LIGHT PIPE & WITH HEAT SINK			LINK-PP INT'L TECHNOLOGY CO., LIMITED				
PART NO. LP12BC01680D			GENNERAL TOLERANCE			UNIT:MM	SIZE:A4
APPROVE JULY	CHECK Kevin	DRAW Kevin	.X±0.25	.X±1°	SCALE:1:1	SHEET:4/4	REV:B
			.XX±0.15	.XX±5°			
			.XXX±0.10				