


REV	DESCRIPTION OF CHANGE	REVIEWED BY	ISSUE DATE
A	FIRST ISSUE	LEO	2020-02-10





NOTES:
MATERIAL:
CAGE: COPPER ALLOY NI-PLATED,THICKNESS 0.25 MM
CONNECTOR:
PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.
SPRING: STAINLESS STEEL, THICKNESS 0.20mm
CONTACTS: PHOSPHOR BRONZE, THICKNESS 0.20mm
PLATING: 15μ" MIN. GOLD ON MATING AREA,
150μ" MIN. MATE TIN ON SOLDER TAILS.
PACKAGING: TRAY PACKAGING.
TEMPERATURE RANGE: -40°C TO +85°C




RoHS 2011/65/EU


TITLE	SFP28 2X2 CAGE & CONNECTOR WITH EMI SPRING FINGER	LINK-PP INT'L TECHNOLOGY CO., LIMITED
PART NO.	LP22CC01001S	GENNERAL TOLERANCE

APPROVE	CHECK	DRAW
LEO	JAMES	JAMES

◦ X±0.20	◦ X±1°
◦ XX±0.15	◦ XX±5°
◦ XXX±0.10	

UNIT:MM	SIZE:A4
SCALE:1:1	SHEET:1/4
	REV:A






BEZEL CUT-OUT CENTER SPACING DETAIL
BEZEL THICKNESS:0.8-2.6

RoHS
2011/65/EU

TITLE	SFP28 2X2 CAGE & CONNECTOR WITH EMI SPRING FINGER		LINK-PP INT'L TECHNOLOGY CO., LIMITED				
PART NO.	LP22CC01001S		GENNERAL TOLERANCE			UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	◦ X±0.20	◦ X±1°	SCALE:1:1	SHEET:2/4	REV:A
LEO	JAMES	JAMES	◦ XX±0.15	◦ XX±5°			
			◦ XXX±0.10				



SEE DETAIL D
SCALE 2.5:1

PIN MAP


OT19 OT16 OT13
OT20 OT17 OT14 OT11
OT18 OT15 OT12


OT2 OT5 OT8
OT1 OT4 OT7 OT10
OT3 OT6 OT9

OL9 OL6 OL3
OL10 OL7 OL4 OL1
OL8 OL5 OL2

OL12 OL15 OL18
OL11 OL14 OL17 OL20
OL13 OL16 OL19

SEE DETAIL C
SCALE 2.5:1







RoHS 2011/65/EU

TITLE: SFP28 2X2 CAGE & CONNECTOR WITH EMI SPRING FINGER			LINK-PP INT'L TECHNOLOGY CO., LIMITED			
PART NO.: LP22CC01001S			GENNERAL TOLERANCE		UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	◦ X±0.20	◦ X±1°	SCALE:1:1	SHEET:3/4	REV:A
LEO	JAMES	JAMES	◦ XX±0.15	◦ XX±5°			
			◦ XXX±0.10				


PACKAGE INFORMATION AND LABLE



1. 18PCS PRODUCTS IN TRAYS




2. 5PCS TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND PUT IT ON PREVIOUS TRAY.)



3. LABEL & PACKAGING TAPES FOR TRAYS:

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	90 PCS
TRAY	5 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)



4. LABEL & PACKAGING TAPES FOR BOX

RoHS 2011/65/EU

TITLE: SFP28 2X2 CAGE & CONNECTOR WITH EMI SPRING FINGER			LINK-PP INT'L TECHNOLOGY CO., LIMITED			
PART NO.: LP22CC01001S			GENNERAL TOLERANCE		UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	◦ X±0.20	◦ X±1°	SCALE:1:1	SHEET:4/4	REV:A
LEO	JAMES	JAMES	◦ XX±0.15	◦ XX±5°			
			◦ XXX±0.10				