




REV	DESCRIPTION OF CHANGE	REVIEWED BY	ISSUE DATE
A	FIRST ISSUE	LEO	2021-11-02


NOTE:
MATERIAL:
1. CONTACT: COPPER ALLOY.
2. HOUSING & COVER:
HIGH TEMPERATURE PLASTIC UL 94V-0. COLOR: BLACK.
3. MOULDED INSERT:
HIGH TEMPERATURE PLASTIC UL 94V-0. COLOR:BLACK.
4. CAGE:
TOP CAGE: COPPER ALLOY T=0.25mm.
BOTTOM CAGE:STAINLESS STEEL T=0.25mm.
BACK CAGE:COPPER ALLOY T=0.25mm.
MID CAGE:STAINLESS STEEL T=0.25mm.
5. EMI CLIP: COPPER ALLOY
6. LIGHT PIPES: POLYCARBONATE. UL 94V-0. COLOR:CLEAR

PLATED:
1. CONTACT AREA : PLATING GOLD 0.76 MICROMETERS MINIMUM
OVER 1.27 MICROMETERS NICKEL.
2. CONTACT NEEDLE EYE: 2.54~5.08 MICROMETERS MATTE TIN
OVER 1.27~2.54 MICROMETERS NICKEL.
3. TOP & BACK CAGE: 0.76~2.54 MICROMETERS NICKEL OVER ALL.
4. EMI CLIP: 0.76~2.54 MICROMETERS NICKEL OVER ALL.


ENVIRONMENTAL:
1. LOW LEVEL CONTACT RESITANCE(LLCR): ΔR 20 MILLIOHMS MAXIMUM.
2. WITHSTANDING VOLTAGE: 300V AC/MAXIMUM.
3. RATINGS CURRENT: 0.5 Amps MAXIMUM.
4. RATINGS VOLTAGE: 30 Volts AC(RMS)/DC MAX.
5. OPERATION: -40°C~+85°C.
6. STORAGE: -40°C~+85°C.
7. ROHS COMPLIANT




TITLE QSFP28 2X3 CAGE & CONNECTOR WITH EMI SPRING FINGER LIGHT PIPE			LINK-PP INT'L TECHNOLOGY CO., LIMITED			
PART NO. LP23FC01103S			GENNERAL TOLERANCE		UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	。 X±0.20	。 X±1°	SCALE:1:1	SHEET:1/5
LEO	JAMES	JAMES	。 XX±0.15	。 XX±5°		
			。 XXX±0.10			



TITLE QSFP28 2X3 CAGE & CONNECTOR WITH EMI SPRING FINGER LIGHT PIPE			LINK-PP INT'L TECHNOLOGY CO., LIMITED			
PART NO. LP23FC01103S			GENNERAL TOLERANCE		UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	◦ X±0.20	◦ X±1°	SCALE:1:1	SHEET:2/5
LEO	JAMES	JAMES	◦ XX±0.15	◦ XX±5°		
			◦ XXX±0.10			






KEEP-OUT AREAS FOR 4 LP APPLICATION
COMPONENT SIDE OF BOARD




TITLE QSP28 2X3 CAGE & CONNECTOR WITH EMI SPRING FINGER LIGHT PIPE			LINK-PP INT'L TECHNOLOGY CO., LIMITED			
PART NO. LP23FC01103S			GENNERAL TOLERANCE			UNIT:MM
APPROVE	CHECK	DRAW	° X±0.20	° X±1°	SCALE:1:1	SHEET:4/5
LEO	JAMES	JAMES	° XX±0.15	° XX±5°		
			° XXX±0.10			
						SIZE:A4
						REV:A


PACKAGE INFORMATION AND LABLE



1. 9PCS PRODUCTS IN TRAYS




2. 4PCS TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND
PUT IT ON PREVIOUS TRAY.)



3. LABEL & PACKAGING TAPES FOR TRAYS:

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	36 PCS
TRAY	4 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)



4. LABEL & PACKAGING TAPES FOR BOX



TITLE QSFP28 2X3 CAGE & CONNECTOR WITH EMI SPRING FINGER LIGHT PIPE			LINK-PP INT'L TECHNOLOGY CO., LIMITED			
PART NO. LP23FC01103S			GENNERAL TOLERANCE		UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	。 X±0.20	。 X±1°	SCALE:1:1	SHEET:5/5
LEO	JAMES	JAMES	。 XX±0.15	。 XX±5°		
			。 XXX±0.10			REV:A