


REV.	DESCRIPTION OF CHANGE	REVIEWED BY	ISSUE DATE
B	FIRST ISSUE	JULY	2024-07-04








NOTES:


MATERIAL:
CAGE: COPPER ALLOY NI-PLATED,THICKNESS 0.25 MM
CONNECTOR:
PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.
SPRING: STAINLESS STEEL, THICKNESS 0.20mm
LIGHT PIPE: POLYCARBONATE; COLOR: CLEAR
CONTACTS: PHOSPHOR BRONZE, THICKNESS 0.20mm
PLATING: 15μ" MIN. GOLD ON MATING AREA,
150μ" MIN. MATE TIN ON SOLDER TAILS.
PACKAGING: TRAY PACKAGING.
TEMPERATURE RANGE: -40°C TO +85°C

RoHS 2011/65/EU

TITLE: SFP28 2X6 CAGE WITH CONNECTOR & WITH EMI SPRING FINGER & LIGHT PIPE			LINK-PP INT'L TECHNOLOGY CO., LIMITED			
PART NO.: LP26CC01601S			GENNERAL TOLERANCE		UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	.X±0.25	.X±1°	SCALE:1:1	SHEET:1/4 REV:B
JULY	Kevin	Kevin	.XX±0.15	.XX±5°		
			.XXX±0.10			




BEZEL CUT-OUT CENTER SPACING DETAIL
BEZEL THICKNESS:0.8-2.6



RoHS 2011/65/EU

TITLE: SFP28 2X6 CAGE WITH CONNECTOR & WITH EMI SPRING FINGER & LIGHT PIPE			LINK-PP INT'L TECHNOLOGY CO., LIMITED				
PART NO.: LP26CC01601S			GENNERAL TOLERANCE			UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	.X±0.25	.X±1°	SCALE:1:1	SHEET:2/4	REV:B
JULY	Kevin	Kevin	.XX±0.15	.XX±5°			
			.XXX±0.10				



SEE DETAIL D
SCALE 2.5:1

PIN MAP


OT19 OT16 OT13
OT20 OT17 OT14 OT11
OT18 OT15 OT12

OT2 OT5 OT8
OT1 OT4 OT7 OT10
OT3 OT6 OT9

OL9 OL6 OL3
OL10 OL7 OL4 OL1
OL8 OL5 OL2

OL12 OL15 OL18
OL11 OL14 OL17 OL20
OL13 OL16 OL19


SEE DETAIL C
SCALE 2.5:1




RoHS
2011/65/EU

TITLE: SFP28 2X6 CAGE WITH CONNECTOR & WITH EMI SPRING FINGER & LIGHT PIPE			LINK-PP INT'L TECHNOLOGY CO., LIMITED				
PART NO.: LP26CC01601S			GENNERAL TOLERANCE		⌖	UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	.X±0.25	.X±1°	SCALE:1:1	SHEET:3/4	REV:B
JULY	Kevin	Kevin	.XX±0.15	.XX±5°			
			.XXX±0.10				


PACKAGE INFORMATION AND LABLE




1. 6PCS PRODUCTS IN TRAYS



2. 4PCS TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND PUT IT ON PREVIOUS TRAY.)



3. LABEL & PACKAGING TAPES FOR TRAYS:



4. LABEL & PACKAGING TAPES FOR BOX

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	24 PCS
TRAY	4 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)

RoHS 2011/65/EU

TITLE: SFP28 2X6 CAGE WITH CONNECTOR & WITH EMI SPRING FINGER & LIGHT PIPE			LINK-PP INT'L TECHNOLOGY CO., LIMITED			
PART NO.: LP26CC01601S			GENNERAL TOLERANCE		UNIT:MM	SIZE:A4
APPROVE	CHECK	DRAW	.X±0.25	.X±1°	SCALE:1:1	SHEET:4/4 REV:B
JULY	Kevin	Kevin	.XX±0.15	.XX±5°		
			.XXX±0.10			